
```
=> fil reg
FILE REGISTRY' ENTERED AT 13:37:12 ON 18 FEB 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)
Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.
STRUCTURE FILE UPDATES:
                           16 FEB 2005
                                        HIGHEST RN 832673-31-1
DICTIONARY FILE UPDATES:
                           16 FEB 2005
                                       HIGHEST RN 832673-31-1
TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005
  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.
Crossover limits have been increased. See HELP CROSSOVER for details.
Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
                                           html beginning or end of sequence . = any amino acid
to the file summary sheet on the web at:
http://www.cas.org/ONLINE/DBSS/registryss.html
=> d que 13
                                           ^C..C...C.\{10-12\}C...C...C\gamma\{10-12\}C...C...C\gamma
<u>L3</u> 2 SEA FILE=REGISTRY ABB=ON
                 ..C.{10-12}C...C..[YF]^()^C...C.{10-12}C...C^/SQSP
                                         or
                                                                  searched motif for motif 2
=> d_sqide_1=2°
                                                                    or motif 3
L3
     ANSWER 1 OF 2 REGISTRY COPYRIGHT 2005 ACS on STN
RN
     402476-67-9 REGISTRY
                                                                              "consisting
CN
     L-Cysteine, L-cysteinyl-L-alanyl-L-arginyl-L-alanyl-L-cysteinyl-L-
     isoleucyl-L-alanyl-L-alanyl-L-arginylglycyl-L-alanyl-L-arginyl-L-alanyl-L-
     threonyl-L-isoleucyl-L-cysteinyl-L-alanyl-L-arginyl-L-alanyl- (9CI)
     INDEX NAME)
OTHER NAMES:
                                                                           (i.e. no extrancaus
     18: PN: WOO218433 PAGE: 10 unclaimed sequence
CN
FS
     PROTEIN SEQUENCE; STEREOSEARCH
                                                                            amino acids at
SQL
                                                                             either end)
PATENT ANNOTATIONS (PNTE):
Sequence | Patent
Source
         Reference
======+==========
Not Given|WO2002018433
         lunclaimed
         | PAGE 10
SEQ
         1 CARACIAARG ARATICARAC
           ------
HITS AT:
           1-20
     C78 H142 N32 O22 S4
MF
SR
     CA
LC
     STN Files:
                 CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA CAplus document type: Patent
       Roles from patents: PRP (Properties)
```

Absolute stereochemistry.





PAGE 2-A

R Me O
HN S N R SH
O NH2

O SH O NH2

HN R HN S (CH2)3 N NH2

R2 HN S Me R

PAGE 3-A

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2005 ACS on STN

RN 383416=88=47 REGISTRY

CN L-Cysteine, L-cysteinyl-L-arginyl-L-leucylglycyl-L-cysteinyl-L-threonyl-Ltyrosylglycyl-L-phenylalanyl-L-lysyl-L-threonyl-L-α-aspartyl-L-lysylL-lysylglycyl-L-cysteinyl-L-α-glutamyl-L-alanyl-L-phenylalanyl(9CI) (CA INDEX NAME)

OTHER NAMES:

CN 76: PN: WO0198365 SEQID: 113 claimed sequence

FS PROTEIN SEQUENCE; STEREOSEARCH

SQL 20

PATENT ANNOTATIONS (PNTE):

Sequence | Patent

Source | Reference

======+==========

Not Given|WO2001098365

|claimed |SEQID 113

SEQ 1 CRLGCTYGFK TDKKGCEAFC

HITS AT: 1-20

MF C95 H148 N26 O28 S4

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL


DT.CA CAplus document type: Patent


RL.P Roles from patents: BIOL (Biological study); PRP (Properties); USES (Uses)

Absolute stereochemistry.

PAGE 1-A

H₂N





PAGE 1-C

\ Ph PAGE 2-B

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> fil capl uspatf toxcenter; s 13

•ELLE GAPLUS" ENTERED AT 13:37:38 ON 18 FEB 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

ELLE USPATFULL: ENTERED AT 13:37:38 ON 18 FEB 2005
CA INDEXING COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

COPYRIGHT (C) 2005 ACS

LA 6 153.

=> dup rem 14

Robinson 09/331631 Page 6

PROCESSING COMPLETED FOR L4

L5 4 DUP REM I.4 (2 DUPLI

4 DUP REM L4 (2 DUPLICATES REMOVED)
ANSWERS '1-2' FROM FILE CAPLUS
ANSWERS '3-4' FROM FILE USPATFULL

=> d ibib ed abs hitrn 1-4

L5 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2005 ACS on STN DUPLICATE 1

ACCESSION NUMBER: 2002:171945 CAPLUS

DOCUMENT NUMBER: 136:221698

TITLE: Adhesive protein and uses thereof

INVENTOR(S): Olsson, Per-erik; Jass, Jana; Jones, Iwan; Jakobsson,

Staffan; Borg, Bertil

PATENT ASSIGNEE(S): Aquabiol Hb, Swed.

SOURCE: PCT Int. Appl., 45 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.				KIND DATE			APPLICATION NO.				DATE						
WO 2002018433			A1 20020307		WO 2001-SE1853				20010831								
	W:	ΑE,	AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	ΒZ,	CA,	CH,	CN,
		co,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	ĒΕ,	ES,	FI,	GB,	GD,	GE,	GH,
		GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	KP,	KR,	ΚZ,	LC,	LK,	LR,
		LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	ΜZ,	NO,	ΝZ,	PH,	PL,
		PT,	RO,	RU,	SD,	SE,	SG,	SI,	SK,	SL,	ТJ,	TM,	TR,	TT,	TZ,	UA,	UG,
		US,	UZ,	VN,	YU,	ZA,	ZW,	AM,	AZ,	BY,	KG,	ΚZ,	MD,	RU,	ТJ,	TM	
	RW:	GH,	GM,	ΚE,	LS,	MW,	ΜZ,	SD,	SL,	SZ,	ΤZ,	UG,	ZW,	ΑT,	BE,	CH,	CY,
		DE,	DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	ΙT,	LU,	MC,	NL,	PT,	SE,	TR,	BF,
		ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,	GQ,	GW,	ML,	MR,	ΝE,	SN,	TD,	TG	
AU 2001082818				A5 20020313				AU 2001-82818			20010831						
US 2004072183			A1 20040415 US 2003-363485				85		20030825								
PRIORITY APPLN. INFO.:								SE 2	000-	3099		i	A 2	0000	901		
										US 2	000-	2298	65P		P 2	0000	901
									1	WO 2	001-	SE18:	53	1	₩ 2	0010	831

ED Entered STN: 08 Mar 2002

AB An adhesive protein, present inter alia in the stickleback nest-building glue has now been isolated and purified. Its amino acid sequence and corresponding coding polynucleotide sequences are isolated and sequenced. The protein finds both medical and tech. uses. whereas both the protein and the polynucleotide sequence can be used in analyses, determining the presence and influence of androgenic substances, for example androgenic pollutants, present in the aquatic environment.

IT 402476-67-9

RL: PRP (Properties)

(unclaimed sequence; adhesive protein and uses thereof)

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2005 ACS on STN DUPLICATE 2

ACCESSION NUMBER: 2001:935665 CAPLUS

DOCUMENT NUMBER: 136:68714

TITLE: Peptide and polypeptide inhibitors of complement C1s INVENTOR(S): West, Robert R.; Sheppard, Paul O.; Fox, Brian A.

PATENT ASSIGNEE(S): Zymogenetics, Inc., USA SOURCE: PCT Int. Appl., 99 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

Robinson 09/331631 Page 7

PATENT INFORMATION:

	0610		
WO 2001098365 A2 20011227 WO 2001-US19405 2001 WO 2001098365 A3 20030703	20010618		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CF	, CN,		
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE			
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LF			
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PI			
RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG			
VN, YU, ZA, ZW	•		
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AM, AZ, BY	, KG,		
KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GE			
IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA			
GW, ML, MR, NE, SN, TD, TG	•		
CA 2413830 AA 20011227 CA 2001-2413830 2001	20010618		
AU 2001082857 A5 20020102 AU 2001-82857 2001	20010618		
	20010618		
EP 1349874 A2 20031008 EP 2001-961606 2001	20010618		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC	PT,		
IE, FI, CY, TR			
PRIORITY APPLN. INFO.: US 2000-212998P P 2000	0621		
WO 2001-US19405 W 2001	0618		

ED Entered STN: 28 Dec 2001

AB The complement system plays an important role in providing resistance to infections and in the pathogenesis of tissue injury. Yet an inappropriate activation of complement can result in a variety of disorders. The present invention provides Cls catalytic site-directed moieties, Cls exosite binding moieties, and bivalent polypeptide inhibitors comprising such moieties, which can be used to treat conditions characterized by inappropriate complement activation.

ΙT 383416-88-4

RL: DGN (Diagnostic use); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(peptide and polypeptide inhibitors of complement Cls for diagnosis and therapy)

L5 ANSWER 3 OF 4 USPATFULL on STN

ACCESSION NUMBER: 2004:94731 USPATFULL

TITLE: Adhesive protein and uses thereof INVENTOR(S): Olsson, Per-Erik, Orebro, SWEDEN

Jaas, Jana, Orebro, SWEDEN

Jones, Iwan, New York, NY, UNITED STATES Jakobsson, Staffan, Akersberga, SWEDEN

Borg, Bertil, Taby, SWEDEN

	NUMBER	KIND	DATE	
-				
	5 2004072183	A1	20040415	
	S 2003-363485 D 2001-SE1853	A1	20030825 20010831	(10)

NUMBER DATE SE 2000-3099 20000901

PRIORITY INFORMATION: DOCUMENT TYPE:

Utility

FILE SEGMENT: APPLICATION LEGAL REPRESENTATIVE:

Michael R Ward, Morrison & Foerster, 425 Market Street,

San Francisco, CA, 94105-2482

NUMBER OF CLAIMS: 34 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 6 Drawing Page(s) Robinson 09/331631 Page 8

LINE COUNT: 1241

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

An adhesive protein, present inter alia in the stickleback nest building glue has now been isolated and purified. Its amino acid sequence and corresponding coding polynucleotide sequences are isolated and sequenced. The protein finds both medical and technical uses, whereas both the protein and the polynucleotide sequence can be used in analyses, determining the presence and influence of androgenic substances, for example androgenic pollutants, present in the aquatic environment.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 402476-67-9

(unclaimed sequence; adhesive protein and uses thereof)

L5 ANSWER 4 OF 4 USPATFULL on STN

ACCESSION NUMBER: 2002:191193 USPATFULL

TITLE: Peptide and polypeptide inhibitors of complement Cls

INVENTOR(S): West, Robert R., Seattle, WA, UNITED STATES

Sheppard, Paul O., Granite Falls, WA, UNITED STATES

Fox, Brian A., Seattle, WA, UNITED STATES

NUMBER DATE

PRIORITY INFORMATION: US 2000-212998P 20000621 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: Phillip B.C. Jones, J.D., Ph.D., ZymoGenetics, Inc.,

1201 Eastlake Avenue East, Seattle, WA, 98102

NUMBER OF CLAIMS: 23 EXEMPLARY CLAIM: 1 LINE COUNT: 2867

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The complement system plays an important role in providing resistance to infections and in the pathogenesis of tissue injury. Yet an inappropriate activation of complement can result in a variety of disorders. The present invention provides Cls catalytic site-directed moieties, Cls exosite binding moieties, and bivalent polypeptide inhibitors comprising such moieties, which can be used to treat conditions characterized by inappropriate complement activation.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 383416-88-4

(peptide and polypeptide inhibitors of complement C1s for diagnosis and therapy)

=> => fil hom

FILE 'HOME' ENTERED AT 13:39:49 ON 18 FEB 2005

=>

Robinson 09/331631

Page 9

=> fil reg; d que 12; fil capl; d que 122; d que 119; fil uspatf; d que 126 <u>FILE REGISTRY</u> ENTERED AT 14:05:59 ON 18 FEB 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 16 FEB 2005 HIGHEST RN 832673-31-1 DICTIONARY FILE UPDATES: 16 FEB 2005 HIGHEST RN 832673-31-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

______9386 SEA FILE=REGISTRY ABB=ON C..C..C.{10-12}C...C..C|[YF]..C...C .{10-12}C...C..[YF]|C...C.{10-12}C...C/SQSP

motif l or motif 2 or

FILE CAPLUS CENTERED AT 14:05:59 ON 18 FEB 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 18 Feb 2005 VOL 142 ISS 9 FILE LAST UPDATED: 17 Feb 2005 (20050217/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

'OBI' IS DEFAULT SEARCH FIELD FOR 'CAPLUS' FILE

```
L2
9386 SEA FILE=REGISTRY ABB=ON C..C...C.{10-12}C...C...C|[YF]..C...C
.{10-12}C...C...[YF]|C...C.{10-12}C...C/SQSP

L6
3658 SEA FILE=CAPLUS ABB=ON L2

L14
89604 SEA FILE=CAPLUS ABB=ON ANTIMICROB?/OBI OR ANTIBACTER?/OBI

L15
55 SEA FILE=CAPLUS ABB=ON L6 AND L14

L16
46 SEA FILE=CAPLUS ABB=ON L15 AND P/DT

L22
0 SEA FILE=CAPLUS ABB=ON L16 NOT AY≥1996 >
```

Robinson 09/331631 Page 10

```
L2
           9386 SEA FILE=REGISTRY ABB=ON C..C...C.{10-12}C...C...C|[YF]..C...C
                .{10-12}C...C...[YF]|C...C.{10-12}C...C/SQSP
L6
           3658 SEA FILE=CAPLUS ABB=ON L2
L14
          89604 SEA FILE=CAPLUS ABB=ON
                                       ANTIMICROB?/OBI OR ANTIBACTER?/OBI
L15
             55 SEA FILE=CAPLUS ABB=ON
                                        L6 AND L14
L16
             46 SEA FILE=CAPLUS ABB=ON
                                        L15 AND P/DT
L18
              9 SEA FILE=CAPLUS ABB=ON
                                       L15 NOT L16
L19
              1 SEA FILE=CAPLUS ABB=ON
                                       L18 NOT PY>1996
FILE 'USPATFULL' ENTERED AT 14:06:00 ON 18 FEB 2005
CA INDEXING COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)
FILE COVERS 1971 TO PATENT PUBLICATION DATE: 17 Feb 2005 (20050217/PD)
FILE LAST UPDATED: 17 Feb 2005 (20050217/ED)
HIGHEST GRANTED PATENT NUMBER: US6857132
HIGHEST APPLICATION PUBLICATION NUMBER: US2005039239
CA INDEXING IS CURRENT THROUGH 17 Feb 2005 (20050217/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 17 Feb 2005 (20050217/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Dec 2004
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Dec 2004
>>> USPAT2 is now available. USPATFULL contains full text of the
                                                                       <<<
>>>
     original, i.e., the earliest published granted patents or
                                                                       <<<
>>>
     applications. USPAT2 contains full text of the latest US
                                                                       <<<
>>>
     publications, starting in 2001, for the inventions covered in
                                                                       <<<
>>>
    USPATFULL. A USPATFULL record contains not only the original
                                                                       <<<
    published document but also a list of any subsequent
>>>
                                                                       <<<
>>>
    publications. The publication number, patent kind code, and
                                                                       <<<
    publication date for all the US publications for an invention
>>>
                                                                       <<<
>>>
     are displayed in the PI (Patent Information) field of USPATFULL
                                                                       <<<
>>>
    records and may be searched in standard search fields, e.g., /PN, <<<
>>>
    /PK, etc.
                                                                       <<<
>>> USPATFULL and USPAT2 can be accessed and searched together
                                                                       <<<
>>> through the new cluster USPATALL. Type FILE USPATALL to
                                                                       <<<
>>> enter this cluster.
                                                                       <<<
>>>
                                                                       <<<
>>>
    Use USPATALL when searching terms such as patent assignees,
                                                                       <<<
>>>
     classifications, or claims, that may potentially change from
                                                                       <<<
     the earliest to the latest publication.
                                                                       <<<
This file contains CAS Registry Numbers for easy and accurate
substance identification.
L2
           9386 SEA FILE=REGISTRY ABB=ON C..C...C.{10-12}C...C...C|[YF]..C...C
                .{10-12}C...C..[YF]|C...C.{10-12}C...C/SQSP
L23
           1023 SEA FILE=USPATFULL ABB=ON L2
```

```
=> dup rem 119,126

FILE 'CAPLUS' ENTERED AT 14:06:13 ON 18 FEB 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)
```

33 SEA FILE=USPATFULL ABB=ON L23 AND L24

1 SEA FILE-USPATFULL ABB-ON L25 NOT AY>1996

10772 SEA FILE=USPATFULL ABB=ON

L24

L25

L26

(ANTIMICROB? OR ANTIBACTER?)/IT

FILE 'USPATFULL' ENTERED AT 14:06:13 ON 18 FEB 2005
CA INDEXING COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)
PROCESSING COMPLETED FOR L19
PROCESSING COMPLETED FOR L26
2 DUP REM L19 L26 (0 DUPLICATES REMOVED)

ANSWER '1' FROM FILE CAPLUS ANSWER '2' FROM FILE USPATFULL

L27 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1992:608813 CAPLUS

DOCUMENT NUMBER: 117:208813

TITLE: Engineering dehydrated amino acid residues in the

antimicrobial peptide nisin

AUTHOR(S): Kuipers, Oscar P.; Rollema, Harry S.; Yap, Wyanda M.

G. J.; Boot, Hein J.; Siezen, Roland J.; De Vos,

Willem M.

CORPORATE SOURCE: Dep. Biophys. Chem., Netherlands Inst. Dairy Res.,

Ede, 6710 BA, Neth.

SOURCE: Journal of Biological Chemistry (1992), 267(34),

24340-6

CODEN: JBCHA3; ISSN: 0021-9258

DOCUMENT TYPE: Journal LANGUAGE: English ED Entered STN: 28 Nov 1992

AB The small antimicrobial peptide nisin, produced by Lactococcus lactis, contains the uncommon amino acid residues dehydroalanine and dehydrobutyrine and 5 thio ether bridges. Since these structures are posttranslationally formed from Ser, Thr, and Cys residues, it is feasible to study their role in misin function and biosynthesis by protein engineering. This report describes the development of an expression system for mutated nisin Z (nisZ) genes, using nisin A-producing L. lactis as a host. Replacement by site-directed mutagenesis of the Ser-5 codon in nisZ by a Thr codon, led to a mutant with a dehydrobutyrine instead of a dehydroalanine residue at position 5, as shown by NMR. Its antimicrobial activity was 2-10-fold lower relative to wild-type nisin Z, depending on the indicator strain used. In another mutagenesis study a double mutation was introduced in the nisZ gene by replacing the codons for Met-17 and Gly-18 by codons for Gln and Thr, resp., as in the 3rd lanthionine ring of the related antimicrobial peptide subtilin from Bacillus subtilis. This resulted in the simultaneous production of 2 mutant species, 1 containing a Thr residue and the other containing a dehydrobutyrine residue at position 18, both having different bactericidal properties.

IT #4307=02=8P=144307=03=9P sequence pinted beginning on pg /3
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(preparation and antimicrobial activity of)

L27 ANSWER 2 OF 2 USPATFULL on STN

ACCESSION NUMBER: 1999:72565 USPATFULL

TITLE: Cyclic peptides having broad spectrum antimicrobial

activity

INVENTOR(S): Chang, Conway, San Francisco, CA, United States

Gu, Leo, Saratoga, CA, United States Chen, Jie, Belmont, CA, United States

PATENT ASSIGNEE(S): IntraBiotics Pharmaceuticals, Inc., Mountain View, CA,

United States (U.S. corporation)

NUMBER KIND DATE

PATENT INFORMATION: US 5916872 19990629 APPLICATION INFO.: US 1996-685589 19960724 (8)

DOCUMENT TYPE: Utility FILE SEGMENT: Granted

PRIMARY EXAMINER: Tsang, Cecilia J.
ASSISTANT EXAMINER: Jameison, Fabian
LEGAL REPRESENTATIVE: Pennie & Edmonds LLP

NUMBER OF CLAIMS: 18 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 9 Drawing Figure(s); 4 Drawing Page(s)

LINE COUNT: 4404

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention provides cyclic peptides having broad spectrum antimicrobial activity. The peptides exhibit improved efficacy, bioavailability and/or serum half-life as compared with non-cyclized analogues.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 202818-20-0P 202818-21-1P 202818-22-2P

202818-26-6P 202818-27-7P

(preparation of cyclic peptides having broad spectrum antimicrobial activity)

=> => fil reg FILE 'REGISTRY' ENTERED AT 14:07:53 ON 18 FEB 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 16 FEB 2005 HIGHEST RN 832673-31-1 DICTIONARY FILE UPDATES: 16 FEB 2005 HIGHEST RN 832673-31-1

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=> s 202818-20-0 or 202818-21-1 or 202818-22-2 or 202818-26-6 or 202818-27-7 or 144307-02-8 or 144307-03-9

1 202818-20-0 (202818-20-0/RN) 1 202818-21-1 (202818-21-1/RN) 1 202818-22-2 (202818-22-2/RN) 1 202818-26-6 (202818-26-6/RN) 1 202818-27-7 (202818-27-7/RN) 1 144307-02-8 (144307-02-8/RN) Robinson 09/331631

Page 13

```
1 144307-03-9
                                (144307-03-9/RN)
L28
                         7 202818-20-0 OR 202818-21-1 OR 202818-22-2 OR 202818-26-6 OR
                          202818-27-7 OR 144307-02-8 OR 144307-03-9
=> s 128 and 12
L29 7 L28 AND L2
=> d_cn_sql_kwic_nte_129-1-7; fil hom
L29 ANSWER 1 OF 7 REGISTRY COPYRIGHT 2005 ACS on STN
CN
         Cyclo(3-amino-L-alanyl-L-tyrosyl-L-cysteinyl-L-arginyl-L-seryl-L-arginyl-L-
         phenylalanyl-L-cysteinyl-L-valyl-L-α-aspartyl-L-tyrosyl-L-cysteinyl-
         L-valylgl'ycyl-L-tryptophyl-L-cysteinyl-L-leucyl), cyclic
          (3\rightarrow8), (12\rightarrow16)-bis(disulfide) (9CI) (CA INDEX NAME)
SOL
RN 202818=27=7 REGISTRY
                 1 RFCVDYCVGW CLXYCRS
SEQ
                   -----
HITS AT: 1-15, 3-17
NTE cyclic
_______
                  ----- location ----- description
______
bridge Cys-3 - Cys-15 disulfide bridge bridge Cys-7 - Cys-11 disulfide bridge uncommon Dpr-13 - -
______
L29 ANSWER 2 OF 7 REGISTRY COPYRIGHT 2005 ACS on STN
         Cyclo(3-amino-L-alanyl-L-tyrosyl-L-cysteinyl-L-valyl-L-arginyl-L-arginyl-L-
         phenylalanyl-L-cysteinyl-L-valyl-L-\alpha-aspartyl-L-tyrosyl-L-cysteinyl-
         L-valylglycyl-L-tryptophyl-L-cysteinyl-L-leucyl), cyclic
          (3\rightarrow 8), (12\rightarrow 16) -bis (disulfide) (9CI) (CA INDEX NAME)
SOL
RN
         202818-26-6 7 REGISTRY
                1 RRFCVDYCVG WCLXYCV
SEQ
                    HITS AT: 1-16, 4-17
NTE cyclic-
----- location ----- description
bridge Cys-4 - Cys-16 disulfide bridge bridge Cys-8 - Cys-12 disulfide bridge uncommon Dpr-14 - -
L29 ANSWER 3 OF 7 REGISTRY COPYRIGHT 2005 ACS on STN
         {\tt Cyclo(L-arginyl-L-prolyl-L-phenylalanyl-L-cysteinyl-L-valyl-L-seryl-L-cysteinyl-L-valyl-L-seryl-L-cysteinyl-L-valyl-L-seryl-L-cysteinyl-L-valyl-L-seryl-L-cysteinyl-L-valyl-L-seryl-L-cysteinyl-L-valyl-L-seryl-L-cysteinyl-L-valyl-L-seryl-L-cysteinyl-L-seryl-L-cysteinyl-L-seryl-L-cysteinyl-L-seryl-L-cysteinyl-L-seryl-L-cysteinyl-L-seryl-L-seryl-L-cysteinyl-L-seryl-L-seryl-L-seryl-L-cysteinyl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L-seryl-L
         tyrosyl-L-cysteinyl-L-valyl-L-arginyl-L-tryptophyl-L-phenylalanyl-L-
         cysteinyl-L-leucyl-L-arginyl-L-tyrosyl-L-cysteinyl), cyclic
          (4\rightarrow17), (8\rightarrow13)-bis(disulfide) (9CI) (CA INDEX NAME)
SQL
         17
RN
         202818-22-2 REGISTRY
                 1 RPFCVSYCVR WFCLRYC
                    HITS AT: 1-8, 4-17
NTE cyclic
```

```
----- location ----- description
bridge Cys-4 - Cys-17 disulfide bridge bridge Cys-8 - Cys-13 disulfide bridge
L29 ANSWER 4 OF 7 REGISTRY COPYRIGHT 2005 ACS on STN
CN
    Cyclo(L-arginyl-D-arginyl-L-phenylalanyl-L-cysteinyl-L-valyl-L-arginyl-L-
    phenylalanyl-L-cysteinyl-L-leucyl-L-tryptophyl-L-phenylalanyl-L-cysteinyl-
    L-leucyl-L-arginyl-L-tyrosyl-L-cysteinyl), cyclic
    (4\rightarrow16), (8\rightarrow12)-bis(disulfide) (9CI) (CA INDEX NAME)
SOL
RN
    202818-21-1 REGISTRY
       1 RRFCVRFCLW FCLRYC
SEQ
        ______ ____
HITS AT: 1-12, 4-16
NTE cyclic
------
             ----- location ----- description
_______
bridge Cys-4 - Cys-16 disulfide bridge bridge Cys-8 - Cys-12 disulfide bridge
L29 ANSWER 5 OF 7 REGISTRY COPYRIGHT 2005 ACS on STN
CN
    Cyclo(L-arginyl-L-arginyl-L-arginyl-L-phenylalanyl-L-cysteinyl-L-valyl-L-
    arginyl-L-phenylalanyl-L-cysteinyl-L-leucyl-L-tryptophyl-L-phenylalanyl-L-
    cysteinyl-L-leucyl-L-arginyl-L-tyrosyl-L-cysteinyl), cyclic
    (5\rightarrow17), (9\rightarrow13)-bis(disulfide) (9CI) (CA INDEX NAME)
SOL 17
    202818-20-0 REGISTRY
RN
SEO
       1 RRRFCVRFCL WFCLRYC
        HITS AT: 1-13, 5-17
NTE cyclic
-----
             ----- location ----- description
------
bridge Cys-5 - Cys-17 disulfide bridge bridge Cys-9 - Cys-13 disulfide bridge
L29 ANSWER 6 OF 7 REGISTRY COPYRIGHT 2005 ACS on STN
    Nisin Z, 17-L-qlutamine-18-L-threonine- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
    1-Thia-4,7,10,13,16,19-hexaazacyclodocosane, cyclic peptide deriv.
CN
CN
    1-Thia-4,7,10,13-tetraazacyclohexadecane, cyclic peptide deriv.
CN
    1H, 9H-Pyrrolo[2,1-i][1,4,7,10]thiatriazacyclotridecine, cyclic peptide
    deriv.
CN
    9,19-Dithia-2,5,13,16,22-pentaazabicyclo[9.9.2]docosane, cyclic peptide
CN
    Nisin, 17-L-glutamine-18-L-threonine-27-L-asparagine-
SQL 34
    144307-03-9 REGISTRY
RN
SEQ
       1 IXCIALCOPG CKCGALQTCN MKCACCNCSI HVAK
          HITS AT:
         3-23
NTE modified (modifications unspecified)
_______
              ----- location ----- description
```

bridge bridge bridge bridge bridge	Cys-3 Cys-8 Cys-13 Cys-23 Cys-25	- Cys-7 - Cys-11 - Cys-19 - Cys-26 - Cys-28	sulfide bridge sulfide bridge sulfide bridge sulfide bridge sulfide bridge sulfide bridge
uncommon	Abu-2	-	-
stereo	Cys-3	_	D
stereo	Cys-8	-	D
stereo	Cys-23	-	D
stereo	Cys-25	-	D
			

- L29 ANSWER 7 OF 7 REGISTRY COPYRIGHT 2005 ACS on STN
- CN Nisin Z, 5-(2,3-didehydro-2-aminobutanoic acid)- (9CI) (CA INDEX NAME) OTHER CA INDEX NAMES:
- CN 1-Thia-4,7,10,13,16,19-hexaazacyclodocosane, cyclic peptide deriv.
- CN 1-Thia-4,7,10,13-tetraazacyclohexadecane, cyclic peptide deriv.
- CN 1H, 9H-Pyrrolo[2,1-i][1,4,7,10]thiatriazacyclotridecine, cyclic peptide deriv.
- CN 9,19-Dithia-2,5,13,16,22-pentaazabicyclo[9.9.2]docosane, eyclic peptide deriv.
- CN Nisin, 5-(2,3-didehydro-2-aminobutanoic acid)-27-L-asparagine-SQL 34
- RN 144307=02-8 REGISTRY

SEQ 1 IXCIXLCCPG CKCGALMGCN MKCACCNCSI HVXK

HITS AT: 3-23

NTE modified (modifications unspecified)

type	lo	cation	description	
bridge bridge bridge bridge bridge uncommon uncommon stereo stereo	Cys-3 Cys-8 Cys-13 Cys-23 Cys-25 Abu-2 Abu-5 Abu-33 Cys-3 Cys-8	- Cys-7 - Cys-11 - Cys-19 - Cys-26 - Cys-28 -	sulfide bridge sulfide bridge sulfide bridge sulfide bridge sulfide bridge	
stereo	Cys-25	_	D	

FILE 'HOME' ENTERED AT 14:08:34 ON 18 FEB 2005

=>

This Page Blank (uspto)